

**Notice of Allowability**

Application No.

10/830,004

Examiner

Ann T. Hoang

Applicant(s)

TOSIYA, ASANO

Art Unit

2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 11/21/07 and the interview conducted 12/5/07.
2. ☒ The allowed claim(s) is/are 1-13.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 20071207.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald Heckenberg (60,081) on 12/06/07.

The application has been amended as follows:

Claim 7 is replaced with --An exposure apparatus comprising the stage apparatus of claim 6 for positioning at least one of a substrate and an original.--

Claim 8 is replaced with --A device manufacturing method comprising:  
providing an exposure apparatus according to claim 7,  
exposing a substrate to a pattern using the exposure apparatus, and  
developing the exposed substrate to manufacture the device.--

2. The following is an examiner's statement of reasons for allowance:

Applicant's argument, see p. 8 of remarks filed 11/21/07, that the disclosure of Ha et al. does not necessitate a position measuring means because it would be sufficient, for example, to have a predetermined input value for causing the driving cylinders to is persuasive.

Regarding claims 1-8, the prior art fails to teach position measuring means for measuring a position of said plurality of magnetic-flux detection means on the

guided moving member along the length of the sliding member, in combination with the other limitations in the claims.

Regarding claims 9-11, the prior art fails to teach position measuring means for measuring a position of the magnetic flux detecting means on said moving member along the length of the target, in combination with the other limitations in the claims.

Regarding claim 12, the prior art fails to teach measuring a position of the plurality of magnetic flux detecting means along the length of the target, in combination with the other limitations in the claims.

Regarding claim 13, the prior art fails to teach a position measuring unit configured to measure a position of said plurality of magnetic-flux detectors along the length of the target, in combination with the other limitations in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ann T. Hoang, whose telephone number is 571-272-2724. The examiner can normally be reached Monday-Thursday and every other Friday, 8 a.m. to 6 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry, can be reached at 571-272-2084. The


Application/Control Number:  
10/830,004  
Art Unit: 2836

Page 4

fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ATH  
12/7/07

 12/10/07  
MICHAEL SMERTY  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2000